## Pack Your Bag for the Hospital

Let's get you ready for the big day. Remember to pack these items around your 33rd week, and know where they are in your home or car.



| For you       |   | If your doctor recommends an induction  |                       |
|---------------|---|---|-----------------------|
|               | Insurance card  | or C-section before 39 weeks  |                       |
|               | Extra underwear   | Ask lots of questions. Make sure you understand why you are delivering your baby early.   |                       |
|               | Nursing bra and nursing pads  | Common medical reasons for an early delivery:   |                       |
|               | Loose clothes to wear home  |   |                       |
|               | Nightgown   | <ul> <li>You have health conditions like diabetes,<br/>high blood pressure, or preeclampsia.</li> </ul>   |                       |
|               | Robe  | Or other problems with your heart, lungs, or kidneys. Check out Your Guide to Pregnancy to learn more.  |                       |
|               | Slippers or warm socks (nonslip)  |   |                       |
| Toiletries    |   | Your placenta is separating from your uterus.   |                       |
|               | Toothbrush and toothpaste   | Or you have an infection in your uterus. These put the baby at a higher risk of growth problems or stillbirth.  |                       |
|               | Deodorant   |   |                       |
|               | Shampoo and conditioner   | <ul> <li>Your water breaks before labor begins. This puts you and your baby at risk for infections, complications with brain and lung development, miscarriage, or stillbirth.</li> </ul> |                       |
|               | Hairbrush   |   |                       |
|               | Lip balm  |   |                       |
|               | Headband/wrap or ponytail holder  | modernago, or otherman.   |                       |
|               | Bath towel  | <ul> <li>You have Rh disease. This causes problems<br/>with your baby's blood.</li> </ul>   |                       |
|               | Contacts or glasses   | Will your susy o stood.   |                       |
|               | Cell phone and charger  | <ul> <li>Your baby has stopped growing or doesn't have<br/>enough amniotic fluid. This can lead to birth</li> </ul>   |                       |
| For your baby |   | defects, problems during labor, miscarriage, or stillbirth.   | g labor, miscarriage, |
|               | Baby blanket  |   |                       |
|               | Diaper bag  |   |                       |
|               | Baby wipes  |   |                       |
|               | Onesie or undershirt  |   |                       |
|               | Baby keepsake book  |   |                       |
|               | Outfit for photos   |   |                       |
|               | Ask your friends and family to bring along a camera to capture your baby's first day! |   |                       |