

Clinical Policy: Afatinib (Gilotrif)

Reference Number: CP.PHAR.298

Effective Date: 01.01.17 Last Review Date: 05.24

Line of Business: Commercial, HIM, Medicaid

Revision Log

See <u>Important Reminder</u> at the end of this policy for important regulatory and legal information.

Description

Afatinib (Gilotrif®) is a kinase inhibitor.

FDA Approved Indication(s)

Gilotrif is indicated for:

- First-line treatment of patients with metastatic non-small cell lung cancer (NSCLC) whose tumors have non-resistant epidermal growth factor receptor (EGFR) mutations as detected by an FDA-approved test.*
- Treatment of patients with metastatic squamous NSCLC progressing after platinum-based chemotherapy.

Policy/Criteria

Provider must submit documentation (such as office chart notes, lab results or other clinical information) supporting that member has met all approval criteria.

It is the policy of health plans affiliated with Centene Corporation[®] that Gilotrif is **medically necessary** when the following criteria are met:

I. Initial Approval Criteria

- A. Non-Small Cell Lung Cancer (must meet all):
 - 1. Diagnosis of recurrent, advanced, or metastatic NSCLC;
 - 2. Prescribed by or in consultation with an oncologist;
 - 3. Age \geq 18 years;
 - 4. Member meets one of the following (a or b):
 - a. Disease is positive for a sensitizing EGFR mutation (e.g., exon 19 deletion or insertion; exon 21 point mutation L858R, L861Q; exon 18 point mutation G719X; exon 20 point mutation S768I);
 - b. Squamous cell carcinoma histology with progression after platinum-based chemotherapy (e.g., cisplatin, carboplatin);
 - 5. One of the following (a or b):
 - a. Prescribed as a single agent;

^{*}Limitation(s) of Use: The safety and efficacy of Gilotrif have not been established in patients whose tumors have resistant EGFR mutations.

CLINICAL POLICY Afatinib



- b. Prescribed in combination with Erbitux® and all of the following (i, ii, and iii);
 - i. Disease is positive for a sensitizing EGFR mutation (e.g., exon 19 deletion or insertion; exon 21 point mutation L858R, L861Q; exon 18 point mutation G719X; exon 20 point mutation S768I)
 - ii. Prescribed as subsequent therapy;
 - iii. Member has progressed on EGFR tyrosine kinase inhibitor therapy (e.g., Tarceva[®], Vizimpro[®], Iressa[®], Tagrisso[®]);
- 6. For Gilotrif requests, member must use generic afatinib, if available, unless contraindicated or clinically significant adverse effects are experienced;
- 7. Request meets one of the following (a or b):*
 - a. Dose does not exceed both (i and ii):
 - i. 40 mg per day;
 - ii. 1 tablet per day;
 - b. Dose is supported by practice guidelines or peer-reviewed literature for the relevant off-label use *(prescriber must submit supporting evidence)*.

Approval duration:

Medicaid/HIM – 6 months

Commercial – 12 months or duration of request, whichever is less

B. Other diagnoses/indications (must meet 1 or 2):

- 1. If this drug has recently (within the last 6 months) undergone a label change (e.g., newly approved indication, age expansion, new dosing regimen) that is not yet reflected in this policy, refer to one of the following policies (a or b):
 - a. For drugs on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the no coverage criteria policy for the relevant line of business: CP.CPA.190 for commercial, HIM.PA.33 for health insurance marketplace, and CP.PMN.255 for Medicaid; or
 - b. For drugs NOT on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the non-formulary policy for the relevant line of business: CP.CPA.190 for commercial, HIM.PA.103 for health insurance marketplace, and CP.PMN.16 for Medicaid; or
- 2. If the requested use (e.g., diagnosis, age, dosing regimen) is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized) AND criterion 1 above does not apply, refer to the off-label use policy for the relevant line of business: CP.CPA.09 for commercial, HIM.PA.154 for health insurance marketplace, and CP.PMN.53 for Medicaid.

II. Continued Therapy

A. Non-Small Cell Lung Cancer (must meet all):

- 1. Currently receiving medication via Centene benefit, or documentation supports that member is currently receiving Gilotrif for a covered indication and has received this medication for at least 30 days;
- 2. Member is responding positively to therapy;
- 3. For Gilotrif requests, member must use generic afatinib, if available, unless contraindicated or clinically significant adverse effects are experienced;

^{*}Prescribed regimen must be FDA-approved or recommended by NCCN

CLINICAL POLICY Afatinib



- 4. If request is for a dose increase, request meets one of the following (a or b):*
 - a. New dose does not exceed both (i and ii):
 - i. 40 mg per day;
 - ii. 1 tablet per day;
 - b. New dose is supported by practice guidelines or peer-reviewed literature for the relevant off-label use *(prescriber must submit supporting evidence)*.

Approval duration:

Medicaid/HIM – 12 months

Commercial – 12 months or duration of request, whichever is less

B. Other diagnoses/indications (must meet 1 or 2):

- 1. If this drug has recently (within the last 6 months) undergone a label change (e.g., newly approved indication, age expansion, new dosing regimen) that is not yet reflected in this policy, refer to one of the following policies (a or b):
 - a. For drugs on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the no coverage criteria policy for the relevant line of business: CP.CPA.190 for commercial, HIM.PA.33 for health insurance marketplace, and CP.PMN.255 for Medicaid; or
 - b. For drugs NOT on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the non-formulary policy for the relevant line of business: CP.CPA.190 for commercial, HIM.PA.103 for health insurance marketplace, and CP.PMN.16 for Medicaid; or
- 2. If the requested use (e.g., diagnosis, age, dosing regimen) is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized) AND criterion 1 above does not apply, refer to the off-label use policy for the relevant line of business: CP.CPA.09 for commercial, HIM.PA.154 for health insurance marketplace, and CP.PMN.53 for Medicaid.

III. Diagnoses/Indications for which coverage is NOT authorized:

A. Non-FDA approved indications, which are not addressed in this policy, unless there is sufficient documentation of efficacy and safety according to the off label use policies – CP.CPA.09 for commercial, HIM.PA.154 for health insurance marketplace and CP.PMN.53 for Medicaid, or evidence of coverage documents.

IV. Appendices/General Information

Appendix A: Abbreviation/Acronym Key EGFR: epidermal growth factor receptor FDA: Food and Drug Administration

NCCN: National Comprehensive Cancer

Network

NSCLC: non-small cell lung cancer

Appendix B: Therapeutic Alternatives

This table provides a listing of preferred alternative therapy recommended in the approval criteria. The drugs listed here may not be a formulary agent for all relevant lines of business and may require prior authorization.

^{*}Prescribed regimen must be FDA-approved or recommended by NCCN



Drug Name	Dosing Regimen	Dose Limit/
		Maximum Dose
Platinum-based chemotherapy	Varies	Varies
(e.g., cisplatin, carboplatin)		
erlotinib (Tarceva®)	150 mg PO QD	150 mg/day; 450 mg/day when used
		with a strong CYP3A4 inducer or 300
		mg/day when used with a moderate
		CYP1A2 inducer
Vizimpro® (dacomitinib)	45 mg PO QD	45 mg PO QD
Iressa® (gefitinib)	250 mg PO QD	250 mg/day; 500 mg/day when used
	_	with a strong CYP3A4 inducer
Tagrisso® (osimertinib)	80 mg PO QD	160 mg/day when used with a strong
		CYP3A4 inducer

Therapeutic alternatives are listed as Brand name® (generic) when the drug is available by brand name only and generic (Brand name®) when the drug is available by both brand and generic.

Appendix C: Contraindications/Boxed Warnings None reported

V. Dosage and Administration

Indication	Dosing Regimen	Maximum Dose
NSCLC	40 mg PO QD	40 mg/day

VI. Product Availability

Tablets: 20 mg, 30 mg, 40 mg

VII. References

- 1. Gilotrif Prescribing Information. Ridgefield, CT: Boehringer Ingelheim Pharmaceuticals, Inc.; April 2022. Available at: http://gilotrif.com. Accessed January 10, 2024.
- 2. National Comprehensive Cancer Network Drugs and Biologics Compendium. Available at www.nccn.org. Accessed February 14, 2024.
- 3. National Comprehensive Cancer Network Guidelines. Non-Small Cell Lung Cancer (Version 2.2024). Available at www.nccn.org. Accessed February 14, 2024.

Reviews, Revisions, and Approvals	Dae	P&T Approval
		Date
2Q 2020 annual review: no significant changes; references	02.06.20	05.20
reviewed and updated.		
2Q 2021 annual review: no significant changes; oral oncology	01.07.21	05.21
generic redirection language added; revised reference to HIM off-		
label use policy from HIM.PHAR.21 to HIM.PA.154; references		
reviewed and updated.		



Reviews, Revisions, and Approvals	Dae	P&T Approval Date
2Q 2022 annual review: added criteria for single-agent therapy and combination therapy with Erbitux per NCCN; WCG.CP.PHAR.298 was retired and initial approval duration was consolidated to 6 months; Commercial approval durations revised from "Length of Benefit" to "12 months or duration of request, whichever is less"; references reviewed and updated.	02.13.22	05.22
Template changes applied to other diagnoses/indications.	09.21.22	
2Q 2023 annual review: no significant changes; added Tagrisso as an example of EGFR tyrosine kinase inhibitor therapy within criteria per NCCN NSCLC treatment algorithm; references reviewed and updated. Template verbiage not applicable to continued therapy section.	02.04.23	05.23
2Q 2024 annual review: no significant changes; references reviewed and updated.	01.10.24	05.24

Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. "Health Plan" means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan's affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions, and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

CLINICAL POLICY Afatinib



This clinical policy does not constitute medical advice, medical treatment, or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members, and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

Note:

For Medicaid members, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

©2017 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene® and Centene Corporation® are registered trademarks exclusively owned by Centene Corporation.